

ERRATA

In the paper, "An Observational Study of the AFCRL Infrared Sky Survey. III. Further Searches for AFCRL/AFGL Sources and an Evaluation of the Contents of the Mid-Infrared Sky" by M. J. Lebofsky, D. G. Sargent, S. G. Kleinmann, and G. H. Rieke (*Ap. J.*, **219**, 487 [1978]), there are three errors in the tables, which should be corrected as follows:

1. Table 1: R.A. (1950) for CRL No. 1686 should be 14 08 39.0 rather than 14 06 39.0.
2. Table 4: α (1950) for CRL No. 2266 should be 18 49 23.6 rather than 18 29 23.6.
3. Table 4: The CRL number for the third entry in the table should be 2362 rather than 2326.

In the paper "Radial Dependence of Solar Wind Properties Deduced from *Helios 1/2* and *Pioneer 10/11* Radio Scattering Observations" by R. Woo (*Ap. J.*, **219**, 727 [1978]), the line in Figure 6 representing the radial dependence of $R^{-1.3}$ was incorrectly drawn. The corrected Figure 6 is shown opposite. The author would like to add that Berman and Wackley (1976) have also analyzed the 1975 *Pioneer* and *Helios* Doppler measurements of the solar wind.

REFERENCES

- | | |
|--|--|
| Berman, A. L., and Wackley, J. A. 1976, JPL DSN Progr. Rept. 42-33, p. 159. | Okoye, S. E., and Hewish, A. 1967, <i>M.N.R.A.S.</i> , 137 , 287. |
| Blesing, R. G., and Dennison, P. A. 1972, <i>Proc. Astr. Soc. Australia</i> , 2 , 84. | Ward, B. D. 1976, Ph.D. thesis, University of Adelaide. |




FIG. 6.—Variation of tangential scattering (semimajor axis) as a function of distance from the Sun at 2.3 GHz. Except for the *Helios* measurement at $1.7 R_{\odot}$, all measurements were conducted at lower frequencies using natural radio sources and were scaled to 2.3 GHz according to k^{-2} dependence. The lower-frequency data were taken from a summary by Ward (1975); data prior to 1968 were from Okoye and Hewish (1967), the 1969–1971 data from Blesing and Dennison (1972), and the 1973–1974 data from Ward (1975).

TENTATIVE TABLE OF CONTENTS NOW SCHEDULED FOR THE 1978 OCTOBER 1 ISSUE (PART 1)

- STATISTICAL ANALYSIS OF CATALOGS OF EXTRAGALACTIC OBJECTS. X. CLUSTERING OF 4C RADIO SOURCES *M. Seldner and P. J. E. Peebles*
- ON APPLICATION OF STATISTICAL VIRIAL THEOREMS *M. J. Geller and M. Davis*
- OSO 8 X-RAY SPECTRA OF CLUSTERS OF GALAXIES. I. OBSERVATIONS OF 20 CLUSTERS: PHYSICAL CORRELATIONS *R. F. Mushotzky, P. J. Serlemitsos, Barham W. Smith, E. A. Boldt, and S. S. Holt*
- HALOS OF SPIRAL GALAXIES: PHOTOMETRY AND MASS-TO-LIGHT RATIOS *Hyron Spinrad, Jeremiah P. Ostriker, Remington P. S. Stone, Liang-Tai George Chiu, and Gustavo Bruzual A.*
- THE DYNAMICS OF BARRED SPIRAL GALAXIES. I. THE SBb GALAXY NGC 7723 *Roger A. Chevalier and Ingemar Furenlid*
- ON THE ORIGIN OF THE ABSORPTION SPECTRA OF QUASI-STELLAR OBJECTS AND BL LACERTAE OBJECTS *V. Canuto and J. Owen*
- RIPPLE RADIATION AND THE LOW-FREQUENCY VARIABILITY OF EXTRAGALACTIC COMPACT SOURCES *W. J. Cocke, A. G. Pacholczyk, and F. A. Hopf*
- H I, GALAXY COUNTS, AND REDDENING: VARIATION IN THE GAS-TO-DUST RATIO, THE EXTINCTION AT HIGH GALACTIC LATITUDES, AND A NEW METHOD FOR DETERMINING GALACTIC REDDENING *David Burstein and Carl Heiles*
- ON THE STATISTICAL MECHANICS OF VIOLENT RELAXATION *Frank H. Shu*
- THE STABILITY OF INTERSTELLAR CLOUDS CONTAINING MAGNETIC FIELDS *William D. Langer*
- DYNAMIC STRUCTURE OF DARK MOLECULAR CLOUDS *Sun Kwok*
- ON THE EXCITATION OF INTERSTELLAR AMMONIA IN THE KLEINMANN-LOW NEBULA *James S. Sweitzer*
- ISOTOPE ABUNDANCE ANOMALIES IN IRC +10216 *Peter G. Wannier and Richard A. Linke*
- THREE SOUTHERN HEMISPHERE OF STARS, HD 163758, HD 150958, AND HD 152386. I. THE LINES IN THE BLUE REGION *E Myckky Leep*
- POLYATOMIC SPECIES CONTRIBUTING TO THE CARBON-STAR 3 MICRON BAND *Stephen T. Ridgway, Duane F. Carbon, and Donald N. B. Hall*
- STUDIES OF RR LYRAE VARIABLE STARS IN THE UNUSUAL GLOBULAR CLUSTER OMEGA CENTAURI. I. SPECTROSCOPIC OBSERVATIONS *Dennis Butler, R. J. Dickens, and Elizabeth Epps*
- HD 45166: A DWARF IN WOLF-RAYET CLOTHING *David Van Blerkom*
- LP 790-29: A MAGNETIC DEGENERATE WITH A HEAVILY BLANKETED ENERGY DISTRIBUTION *James Liebert, J. R. P. Angel, H. S. Stockman, and E. A. Beaver*
- A STUDY OF SIRIUS *George D. Gatewood and Carolyn V. Gatewood*
- ON THE ORIGIN OF CLOSE BINARY AND PLANETARY SYSTEMS *Robert C. Fleck, Jr.*
- PERIOD VARIATIONS IN PULSATING X-RAY SOURCES. II. TORQUE VARIATIONS AND STELLAR RESPONSE *F. K. Lamb, D. Pines, and J. Shaham*
- ON VV PUPPIS *James Liebert, H. S. Stockman, J. R. P. Angel, N. J. Woolf, K. Hege, and Bruce Margon*
- MASS RANGE OF SUPERNOVAE FOR r -PROCESS NUCLEOSYNTHESIS *B. M. P. Trivedi*
- TYPE I SUPERNOVAE, R CORONAE BOREALIS STARS, AND THE CRAB NEBULA *J. Craig Wheeler*
- SEARCH FOR X-RAY POLARIZATION IN THE CRAB PULSAR *E. H. Silver, M. C. Weisskopf, H. L. Kestenbaum, K. S. Long, R. Novick, and R. S. Wolff*
- A CURVATURE-RADIATION-PAIR-PRODUCTION MODEL FOR γ -RAY PULSARS *Alice K. Harding, Eugene Tademaru, and Larry W. Esposito*
- STAR CLUSTERS CONTAINING MASSIVE, CENTRAL BLACK HOLES: MONTE CARLO SIMULATIONS IN TWO-DIMENSIONAL PHASE SPACE *Stuart L. Shapiro and Alan B. Marchant*
- SELF-SIMILAR GROWTH OF PRIMORDIAL BLACK HOLES. II. ISENTROPIC EQUATIONS OF STATE *G. V. Bicknell and R. N. Henriksen*
- THE REFLECTION OF ALFVÉN WAVES AND THE COOLING OF SUNSPOTS *John H. Thomas*
- ANALYSIS OF EXTREME-ULTRAVIOLET OBSERVATIONS OF A POLAR CORONAL HOLE *John T. Mariska*
- MAGNETOHYDRODYNAMIC MODELS OF CORONAL TRANSIENTS IN THE MERIDIONAL PLANE. I. THE EFFECT OF THE MAGNETIC FIELD *R. S. Steinolfson, S. T. Wu, M. Dryer, and E. Tandberg-Hanssen*
- $\tilde{\zeta}$ -RICH SOLAR PARTICLE EVENT CHARACTERISTICS 1972-1976 *R. D. Žwickl, E. C. Roelof, R. E. Gold, S. M. Krimigis, and T. P. Armstrong*
- EUROPA: ULTRAVIOLET EMISSIONS AND THE POSSIBILITY OF ATOMIC OXYGEN AND HYDROGEN CLOUDS *F.-M. Wu, D. L. Judge, and R. W. Carlson*
- THE EFFECTIVE PENETRATION DISTANCE OF ULTRAHIGH-ENERGY ELECTRONS AND PHOTONS TRAVERSING A COSMIC BLACKBODY PHOTON GAS *Robert J. Gould and Yoel Rephaeli*

NOTE.—Titles and sequence subject to change during the publishing process.